En este documento vamos a ver las instrucciones para conectar un repositorio de GitHub con un servidor de webs avanzadas basado en Plesk:

1. Acceso a la funcionalidad en Plesk: Inicia sesión en tu panel de control de Plesk para crear un nuevo repertorio.



2. **Preparación de la conexión con Git**: Una vez en la sección adecuada, prepara la configuración necesaria para la conexión con Git. En este caso SSH.

<form></form>	□ 3 a 0 0 b C +	Create repository Contract of the state of	<page-header><page-header><page-header><text><image/><text><text><text></text></text></text></text></page-header></page-header></page-header>
Civida Caricel	□ P a < ⊃ D C +	<section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header><section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header></section-header>	<page-header><page-header><page-header><image/><image/><section-header><image/></section-header></page-header></page-header></page-header>

3. **Obtención de la dirección del repositorio en GitHub**: Dirígete al repositorio en GitHub que deseas conectar. Copia la dirección del repositorio desde la barra de direcciones, omitiendo el ".com".



Escuela	© ← C © https://e	github.com/jamg-upy/CAHOS19		B A & Q	🔺 🔋 🖕 с 🗆 с 🖗	∞ 0 ∞
	Mozila Firefox 💭 UPV Universitat Poli	Página principal de intraset UPV p Recursos (Página principal de	Científicos 🥝 Google 🧻 Encuestas UPV 📋 o	diigolet 👔 Tableros (Treflo 🧱 Kumospusce)	Profile ver GTBib, Gestion total Gemini 💀	Pagina principal M > Ctres favorites
	Code 📀 Issues 🍸 Pull reque	ests 💿 Actions 🖽 Projects 🗊 🖽 Wiki 🛈) Security 🗠 Insights 🛞 Settings			
G Inc X		CAHOS19 Nulle				
U Teo X						
O jame X				Add file - Code +	About	
+		Constraint and constraint of asymp		2770000 Theory on 🕥 179 Commits		
						K
		in inputtables				
		III oldfiles				
		in outputtables				
		in python				
		D ucense				
					Releases	
		D porcentaje_covid_CCAA.csv				
					Packages	
		III README 🗇 CC0-1.0 Scense				
		CAHOS19			Contributors 2	
		Gestión de CAmas de HOSpital para pacient	es COVID-19			
		Participants:			Deployments 157	
					🥥 github-pages 🔤 🚈	
					+ 156 deployments	1
Escuela)	(c) ← C (c) https://g debtoralla Firefox	github.com (<mark>Jamgsupy/CAHOS12)</mark>	Cientificos 🙆 Google 🜔 Encuestas UPV 🌓	dinelat 🕫 Tableros Trello 🕌 Kumospace	🚺 👔 🖬 🤇 🖽 🕼	🖗 d" X Panina orincipal M
	CAHOS19					× + • • n e 🚳 i
p O	Code 💮 Issues 🝴 Pull reques		. Security 🗠 Insights 🏐 Settings			
2		CAHOS19 Public				
e C				t Add file + 🗘 Code +	About	
+		Jang-upv Deen equation of a logen		arreithel veryen 💿 179 Commits		
2					A	

in outp in pyth

CAHOS19

Participants:

4. **Añadir el repositorio en Plesk**: En la sección de conexión con Git en Plesk, selecciona la opción para añadir un nuevo repositorio.

Contributors 2

Deployments 157

	lscuela) 🕼 🔶	C (https://g	ithub.com amg-up	V/CAHOS19					B	A 🟠 🛚	a 🔺	¥. •	g d) <u>¢</u> i	@ %	· 🥠	-	a x
	🛅 deMozilla Firefoi	💭 UPV Universitat Poli	Página principa	de 🐺 Intraset UPV	Recursos Científicos	G Google	Encuestas UPV	🗋 diigolet	💶 Tebleros į Tr	elio 🔣 Kumoss	pace Profile	GTBIB G	estion total	· Gemini	🐑 Página	principal M	2.1	Otros favoritos
		CAHOS19																a 🚷 i
B	🔿 Code 📀	Issues 🛛 Pull reques			🖽 Wiki 🕥 Security	y 🗠 Insight	ts 🔘 Settings											
		ļ	CAHOS19															
										<> Code	Abo	ut						
+										🕥 179 Commits								
			III R		Regi	ame readmir to	ceadres.md			3 уевих адо	0	ahos19.blogs	upusi/cate	gary/datisb	oard/			

13	Create repository	× .		
e	Code location	es		
9 2 P	Provide researching Australia or your barr in the set	Alem Them anouent an our lacear Lon. de Phelo yourself.		
0	Reservices U.S. a			
+	gt@gthub.com			
	Birm (HTTP(S) and SSH animologic and magnetism			
	SIH public key creators	A	dil repositories to deploy your site changes	
	Default - Add new tieping key		in the second se	
	SSH public key consert:			
	BETTER SAL4 GENERAL COLLEMENT AND A STATE AND A DEVICE TRANSPORT OF THE AND A DEVICE AND A DEVICA AND A DEVICA AND A DEVI	_	- millingenerit -	
	Repository name #			
	gi@getub.com			
	Epirecity a manne ittad te uanique verdrain e disensers.			
	Deployment settings			
	Deployment mode # Automatic Manual Disabled			
	Place will be deployed to the possilication size as soon as they are available in the Place exposition.			
	Server path *			
	/mp/soca III			
	Directory on the server ensue thas will be dealinged.			
	Lindlie additional deployment actions Seerly shall commands to be cure every one upon deployment	_		

5. **Configuración de la dirección del repositorio**: Pega la dirección del repositorio que copiaste anteriormente en el campo correspondiente.

-	Create repository ×	and the second sec
	Code location	es.
0 10 10	Ments reporting Monomer profile a start provide line direct. Tage can see in the analysis of the start provide line direct. Tage can see in the analysis of the start provide line direct. Means and pulse context provide line direct. Means and pulse context provide line direct. Means and pulse context provide line direct. Tage can see in the analysis of pulse line. Tage can see in the analysis of pulse line. Tage can see in the analysis of pulse line. Tage can see in the analysis of pulse line. Tage can see in the analysis of pulse line. Tage can see in the analysis of pulse line. Tage can see in the analysis of pulse line. Tage can see in the analysis of pulse line.	
0	Repetitory URL +	
+	gtj@gthub.comjamg-upv/CAHOS19 Eomi+ITTY[5] end SSH presodot en supported	
	SSH public key meetion	
	Default - Mdd new deploy kwy	And repositories to neproy your site changes
	SSH public key conteard:	Paular prevalst Brooksmaaler herstell in 15 effektie als Brooks en Brooksmaaler als en
	BACKER ALARERSHOLLUNGLALAMANIAELAMANAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAENAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAELAMANIAENAMANIAELAMANIAELAMANIAENAANIAENANIAENAAMANIAENAAMANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIAENAANIA.	And Appendix A
	Repository name +	
	CAH0519	
	Executly a marrie that is unique verbin e domain;	
	Deployment settings	
	Deployment mode *	
	Automatic Manual Disabled	
	Plas will be dealuged to the productor tota so more as they are available in the Plesk repository.	
	Server path ×	
	/mpeocs ib.	
	Directory on the server where thes will be depoyed.	
	Enable additional deployment actions	
	places, aver coustings to be one over time interview or original units	

6. **Elección de la configuración**: Selecciona la configuración deseada, como el nombre del repositorio y la ubicación en el servidor.



7. **Obtención de la clave SSH**: Para la conexión SSH, copia la clave proporcionada por Plesk para usarla más adelante.

=	Create repository	x Distance was lines as an experimental as a constraint of the plantski
	Code location	Still public key has been capied to the clipboard ×
0.0	Next spacetory Next Status and Status and Status St	
0	Repentitory URL +	
+	gn@gthub.comjamg.upv/CAHOS19	
	Barn HTTP(Q), and S2H protocols and audiomed	
	Default - Add new deploy key	Add repeathories to deploy your site changes
	SSH public key conserve	fina (provinsia) El constructor de cana d'an Standa ya Katalan da anant an anti angel mana langetaran.
	This is the public, part of the SSA way which for authorization in the remain republicity. In this be whiled to the remain comparison of the	
	Repository name #	
	CAH0519	
	Specify a nume that is unload without a domain.	
	Deployment settings	
	Deployment mode *	
	Automatic Marval Disabled	
	Plans will be deployed to the productory take an molecular termination of they are available in the Plansk reporting.	
	Server path #	
	/httpdocs/canos19 B	
	Cirectory on the lenser where thes will be deussyed.	
	Enable additional deployment actions	
	offices & former data considered and former defined with a	
	Create Cancel	
		and an ingenities them.

8. **Configuración en GitHub**: Ve a las preferencias de tu cuenta de GitHub y accede a la sección de despliegue de claves. Añade una nueva clave y pega la clave SSH que obtuviste de Plesk.



	САНОЅІЯ				Q. Type []) to search	1x + • 0 h @
- Le -	○ Code ③ Issues 11 Pull reques	ts 💿 Actions 🖽 Projects 🕼 🖽 Wik	🗇 Security 🖂 Insights	Settings		
94 11			Deploy keys		Add deploy key	
e						
0		Ri-Collaborators		There are no deploy keys for this repositor	v	
+		D Moderation options		Check but our guide on deploy keys to learn more		
200 - A						
		Environments				
		🚔 Codespaces				
		Pages				
		Ode security and analysis				
		Deploy keys				
		Secrets and variables				
		Collect Annu				
		Fill Fmail notifications				
		Autolink references				
		() e 204				

CAHOSIS			12-1 + - 0 n @
	equests 💮 Actions 🖽 Projects 🕼 🛛	🛛 Wiki 🕕 Security 🖂 Insights 🔘 Settings	
		Deploy keys / Add new	
e 0 +	Access Ri: Collaborators 🖓 Moderation options	Title V Key	
	Cade and unterstation 2 ⁴ Branches 5 Tags 62 Roles 63 Actions		
	Weonoois Environments Codespaces Pages	Engine URE sub-engine "welfan dezh-melo 2001", jenden dezh melogi 2001 Wennisis - thañ - nego 2000 operandi zone, or (yk sub-end233192 bogens 	
	Security © Code security and analysis Ø Deploy keys © Secrets and variables		
	Integrations (RicFlub Apps 15) Email notifications		
	0		

B General Deploy keys / Add new Acces	CAHOS19	quests 💿 Actions 🗄 Projects 👔 🖽	Wild 🗇 Security 🗁 Insights 🖷 Settings	Q, Type () to search	x + - ⊙ n	a
<form> enderse enderse</form>		auers	Image:	errinhundhaccii Inti/Sun CuCi Tury abdeal Turu Cupitify - gelligigi giu minnia demonta and a sun		

	(=) / санозія			Q. Type []] to search	(x,) + - O 1 A
18.1	O Code 🔘 Issues 📋 Pull request		🔘 Security 🗠 Insights 👘 Settings		
97 10			Deploy keys		
* C +		Access Re: Collaborators D Moderation options	ghininghaftaramfat sacyas specialandokonster / significanter/ significanter/ significanter/ Sacyas specialandokonster / significanter Sacyas specialandokonster / significanter Sacyas specialandokonster / significanter Sacyas specialandokonster / significanter Sacyas specialandokonster / significanter		
		Cube und automation P for caches Caches Autoria Autoria Page Caches Page Page Page			
		O exarc			

9. **Confirmación de la conexión**: Una vez añadida la clave en GitHub, vuelve a Plesk y confirma la conexión. Si todo está configurado correctamente, recibirás una confirmación de que la conexión se ha establecido correctamente.



Una vez conectados, Plesk realizará automáticamente una sincronización con el repositorio de GitHub. Verifica que los archivos se han transferido correctamente al directorio en el servidor. Ahora que el repositorio está conectado, puedes gestionar y hacer cambios en el código desde GitHub y estos se reflejarán automáticamente en el servidor de Plesk.

10. **Finalización de la conexión**: Si en algún momento deseas interrumpir la conexión, simplemente elimina la clave SSH asociada en GitHub y la sincronización se detendrá.

Code I hull request Actors Projects I hull request Actors I code contractor Arxin R codecoarding options R codecoarding options I fanches I fanche	-	САНОЗ19			Q. Type [to search	1211 + • 0 h 6
Image: Control in the con		○ Code ⊙ Issues 11 Pull request		🗇 Security 🗠 Insights 🗐 Settings		
🗈 Tradi nostifications C Autolink inferences	e (C) +	G Code G Issues 11 Auf regret	Code security and analysis Code security and analysis	O Security Te magine Deploy keys Provide the security of	Inder Berging too.	